

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 06/05/2022 Issue date: 29/10/2018 Revision date: 06/05/2022 Supersedes version of: 07/01/2019 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Gentle Hand Wash

Product code : WP 1834

Type of product : Hand cleaning soap

Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Professional Use of the substance/mixture : Hand Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

C-Quip Ltd Unit 8, Fulcrum 1 Solent Way, Whiteley, Hampshire PO15 7FE United Kingdom

T +44 (0) 845 2266 953 / 954

www.cquip.com

E-mail address of competent person responsible for the SDS: info@cquip.com

1.4. Emergency telephone number

Emergency number : +44 (0) 845 2266 953 / 954 (Office hours only 9am - 5pm Monday - Thursday, 9am - 3pm

Friday.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids Not classified

Serious eye damage/eye irritation Not classified

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	CAS-No.: 85586-07-8 REACH-no: 01-2119489463- 28-0002	1 – 6	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam./Irrit. Not classified Aquatic Chronic 3, H412
disodium laureth sulfosuccinate	CAS-No.: 39354-45-5	1 – 6	Eye Irrit. 2, H319 Aquatic Acute Not classified
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	EC-No.: 931-296-8 REACH-no: 01-2119488533- 30-XXXX	1 – 6	Aquatic Chronic 3, H412
amides,C8-18(even-numbered) and C18(unsatd.), N,N-bis(hydroxyethyl)	EC-No.: 931-329-6 REACH-no: 01-2119490100- 53-XXXX	0.1 – 6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt	EC-No.: 423-270-5 REACH-no: 01-0000016977- 53-XXXX	0.1 – 0.3	Met. Corr. 1, H290
L-(+)-lactic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164- 39-XXXX	≥ 0.1	Skin Corr. 1C, H314 Eye Dam. 1, H318
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	CAS-No.: 6440-58-0 EC-No.: 229-222-8	0.01 – 0.1	Acute Tox. 4 (Oral), H302
formaldehyde% (Note B)(Note D)	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20-XXXX	< 0.01	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	< 0.01	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
formaldehyde%	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20-XXXX	(0.2 ≤C < 100) Skin Sens. 1, H317 (5 ≤C < 100) STOT SE 3, H335 (5 ≤C < 25) Eye Irrit. 2, H319 (5 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 100) Skin Corr. 1B, H314	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370	

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. On ingestion in large quantities: Get

medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : May cause slight temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

06/05/2022 (Revision date) GB - en 3/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: mix with water Wash down with an excess of water. In case

of large spillages: Take up liquid spill into absorbent material, e.g.: sand. Shovel or sweep

up and put in a closed container for disposal.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Precautions for safe handling

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

formaldehyde% (50-00-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Formaldehyde	
IOEL TWA	0.37 mg/m³	
IOEL STEL	0.74 mg/m³ (BOEL)	
IOEL STEL [ppm]	0.6 ppm (BOEL)	
Remark	Dermal sensitisation	
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)	
EU - Binding Occupational Exposure Limit (BOEL)		
Local name	Formaldehyde	
BOEL TWA	0.37 mg/m³ 0.62 mg/m³ (Limit value for the health care, funeral and embalming sectors until 11 July 2024)	
BOEL TWA [ppm]	0.3 ppm 0.5 ppm (Limit value for the health care, funeral and embalming sectors until 11 July 2024)	
BOEL STEL	0.74 mg/m³	
BOEL STEL [ppm]	0.6 ppm	
Notes	Dermal sensitisation (The substance can cause sensitisation of the skin)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

formaldehyde …% (50-00-0)			
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)		
United Kingdom - Occupational Exposure Limits			
Local name	Formaldehyde		
WEL TWA (OEL TWA) [1]	2.5 mg/m³		
WEL TWA (OEL TWA) [2]	2 ppm		
WEL STEL (OEL STEL)	2.5 mg/m³		
WEL STEL (OEL STEL) [ppm]	2 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
methanol (67-56-1)			
EU - Indicative Occupational Exposure Limit (IOEL			
Local name	Methanol		
IOEL TWA [ppm]	200 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
United Kingdom - Occupational Exposure Limits			
Local name	Methanol		
WEL TWA (OEL TWA) [1]	266 mg/m³		
WEL TWA (OEL TWA) [2]	200 ppm		
WEL STEL (OEL STEL)	333 mg/m³		
WEL STEL (OEL STEL) [ppm]	250 ppm		
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection:

No special eye protection equipment recommended under normal conditions of use. Eye protection should only be necessary where hot liquid could be splashed or sprayed

8.2.2.2. Skin protection

Hand protection:

In case of repeated or prolonged contact wear gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available

Odour : Odour relevant to fragrance.

Odour threshold : No data available pH : No data available

pH solution : 5.4

Relative evaporation rate (butylacetate=1) : No data available Melting point Not applicable No data available Freezing point : No data available Boiling point : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1.02 g/cm³ : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties No data available Oxidising properties No data available

9.2. Other information

Explosive limits

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

LD50 dermal rat

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11	111	nforn	nation	on to	oxicol	logical	effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Acute toxicity (oral)	: Not classified			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	: Not classified			
L-(+)-lactic acid (79-33-4)				
LD50 oral	4875 mg/kg Mouse			
LD50 dermal rabbit	> 2000 mg/kg			
LC50 Inhalation - Rat	7.94 mg/l/4h			
amides,C8-18(even-numbered) and C18(u	unsatd.), N,N-bis(hydroxyethyl)			
LD50 oral rat	> 2000 mg/kg			
LD50 dermal rabbit	> 2000 mg/kg			
disodium laureth sulfosuccinate (39354-4	45-5)			
LD50 oral rat	> 2000 mg/kg			
1,3-bis(hydroxymethyl)-5,5-dimethylimida	1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (6440-58-0)			
LD50 oral rat	1572 mg/kg			
formaldehyde% (50-00-0)				
LD50 oral rat	100 mg/kg bodyweight			
LD50 dermal rabbit	270 mg/kg			
methanol (67-56-1)				
LD50 oral rat	1187 – 2769 mg/kg			
LC50 Inhalation - Rat	115.9 – 130.7 mg/l/4h			
reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-,				
trisodium salt				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral))			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts (85586-07-8)				
LD50 oral rat	1800 mg/kg bodyweight			

> 2000 mg/kg bodyweight

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1-propanaminium, 3-amino-N-(carboxymethy salts	yl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner
LD50 oral rat	2335 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
formaldehyde% (50-00-0)	
IARC group	1 - Carcinogenic to humans
reaction mass of (2S)-alanine, N,N-bis(carbo trisodium salt	xymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-,
NOAEL (chronic, oral, animal/male, 2 years)	262.2 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (chronic, oral, animal/female, 2 years)	333.9 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	Not classified
methanol (67-56-1)	
LOAEL, subacute, oral, monkey	2340 mg/kg bw (3 days)
Aspiration hazard	Not classified

SECTION 12: Ecological information

12.1. Toxicity				_		
IZ. I. IUXICILY	и	٠,	1		VI	CITY
	L	4		- 10	JΛI	CILY

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

(Citionic)			
L-(+)-lactic acid (79-33-4)			
LC50 - Fish [1]	130 mg/l Lepomis macrochirus (Bluegill)		
LC50 - Fish [2]	130 mg/l Oncorhynchus mykiss (Rainbow trout)		
EC50 - Crustacea [1]	130 mg/l		
EC50 72h - Algae [1]	> 2800 mg/l Pseudokirchneriella subcapitata		
EC50 72h - Algae [2]	3500 mg/l Selenastrum capricornutum		
NOEC chronic algae 1900 mg/l Pseudokirchneriella subcapitata			
amides,C8-18(even-numbered) and C18(unsatd.), N,N-bis(hydroxyethyl)			
LC50 - Fish [1]	2.4 mg/l Rainbow trout (Oncorhynchus mykiss)		
LC50 - Fish [2]	4.9 mg/l Zebrafish (Danio rerio)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

amides,C8-18(even-numbered) and C18(unsat	d.), N,N-bis(hydroxyethyl)		
EC50 - Crustacea [1]	3.2 mg/l Daphnia magna		
EC50 72h - Algae [1]	18.6 mg/l		
NOEC chronic fish	0.32 mg/l		
NOEC chronic crustacea	0.07 mg/l Daphnia magna		
disodium laureth sulfosuccinate (39354-45-5)			
LC50 - Fish [1]	1 mg/l Carassius Auratus		
EC50 - Crustacea [1]	1 mg/l Daphnia Magna		
formaldehyde% (50-00-0)			
LC50 - Fish [1]	6.18 mg/l striped bass (Morone saxatilis)		
EC50 - Crustacea [1]	5.8 mg/l		
EC50 72h - Algae [1]	3.48 mg/l		
methanol (67-56-1)			
LC50 - Fish [1]	15400 mg/l Lepomis macrochirus (Bluegill)		
LC50 - Fish [2]	> 100 mg/l Pimephales promelas (Fat-head Minnow)		
EC50 - Crustacea [1]	> 10000 mg/l		
EC50 - Other aquatic organisms [1]	2500 mg/l Crangon Crangon (Common sand shrimp)		
EC50 96h - Algae [1]	22000 mg/l Selenastrum capricornutum		
EC50 96h - Algae [2]	16.912 mg/l Marinewater algae Ulva pertusa		
NOEC chronic fish	15800 mg/l Oryzias latipes (Red killifish)		
IC50, microorganisms, acute	20000 mg/l (15 Hours)		
IC50, microorganisms, acute	> 1000 mg/l (3 Hours)		
reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt			
LC50 - Fish [1]	> 110 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts (85586-07-8)			
LC50 - Fish [1]	3.6 mg/l Oncorhynchus mykiss		
EC50 - Crustacea [1]	4.7 mg/l Daphnia magna		
EC50 72h - Algae [1]	20 mg/l Desmodesmus subspicatus		
NOEC chronic fish	≥ 1.357 Pimephales promelas		
NOEC chronic crustacea	0.508 mg/l Ceriodaphnia dubia		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		
LC50 - Fish [1]	1.11 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	6.5 mg/l Test organisms (species): Daphnia magna	
ErC50 algae	2.4 mg/l	
NOEC chronic fish	0.135 mg/l	
NOEC chronic crustacea	0.3 mg/l	

12.2. Persistence and degradability

L-(+)-lactic acid (79-33-4)			
Persistence and degradability	Readily biodegradable.		
Chemical oxygen demand (COD)	0.9 g O ₂ /g substance		
Biodegradation	64 % 28 days		
amides,C8-18(even-numbered) and C18(unsat	td.), N,N-bis(hydroxyethyl)		
Persistence and degradability	Readily biodegradable.		
Biodegradation	92.5 % (28 days)		
disodium laureth sulfosuccinate (39354-45-5)			
Persistence and degradability	Readily biodegradable.		
formaldehyde% (50-00-0)	formaldehyde% (50-00-0)		
Persistence and degradability	Readily biodegradable.		
methanol (67-56-1)			
Persistence and degradability	Readily biodegradable.		
Biochemical oxygen demand (BOD)	0.6 − 1.12 g O₂/g substance		
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance		
ThOD	1.5 g O ₂ /g substance		
BOD (% of ThOD)	0.8 % ThOD		
Biodegradation	95 % 20 days		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts (85586-07-8)			
Persistence and degradability	Readily biodegradable.		
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts			
Persistence and degradability	Readily biodegradable.		

12.3. Bioaccumulative potential

L-(+)-lactic acid (79-33-4)		
Bioaccumulative potential Not bioaccumulable.		
amides,C8-18(even-numbered) and C18(unsatd.), N,N-bis(hydroxyethyl)		
Partition coefficient n-octanol/water (Log Pow)	3.75	
Bioaccumulative potential Not established.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

formaldehyde% (50-00-0)		
Partition coefficient n-octanol/water (Log Pow)	0.35	
Bioaccumulative potential	No bioaccumulation.	
methanol (67-56-1)		
BCF - Fish [1]	< 10 Leuciscus idus (Golden orfe)	
Partition coefficient n-octanol/water (Log Pow)	-0.74	
Bioaccumulative potential	Low. Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts (85586-07-8)		
Partition coefficient n-octanol/water (Log Kow) ≤ -2.42		
Bioaccumulative potential Bioaccumulation unlikely.		

12.4. Mobility in soil

methanol (67-56-1)	
Surface tension	22.6 mN/m (20 °C)
Ecology - soil	Product adsorbs onto the soil.

12.5. Results of PBT and vPvB assessment

Component	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts (85586-07-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
amides,C8-18(even-numbered) and C18(unsatd.), N,N-bis(hydroxyethyl)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
L-(+)-lactic acid (79-33-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
formaldehyde% (50-00-0)	PBT: not relevant – no registration required
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Abbreviations and acronyms:		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
EC50	Median effective concentration	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
PBT	Persistent Bioaccumulative Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Carc. 1B	Carcinogenicity, Category 1B	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Dam./Irrit. Not classified	Serious eye damage/eye irritation Not classified	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.